









1.15 Eigenvalues and eigenvectors

1.15.1 Find eigenvalues of a matrix

Suppose you want to know the eigenvalues of the following matrix:

$$A = \begin{pmatrix} -2 & -24 \\ 3 & 16 \end{pmatrix}$$

- ① Create a new document, select Add Calculator.
- ② Create the matrix. To do this, press  and select Matrix & Vector > Create > Matrix. Enter the number of rows (2) and the number of columns (2). Press . Write the matrix values.
- ③ Store the matrix and name it a : press   and write 'a'. Press .
- ④ Press , select Matrix & Vector > Advanced > Eigenvalues. Write 'a' inside the brackets of 'eigVl()'. Press .



The results should be 4 and 10, giving us the eigenvalues.

1.15.2 Find eigenvectors of a matrix

Consider the following matrix :

$$A = \begin{pmatrix} -2 & -24 \\ 3 & 16 \end{pmatrix}$$


We want to know the eigenvector (x, y) associated to it.


① Write the homogeneous linear system associated to the eigenvalue:

$$\left[A - \begin{pmatrix} \lambda & 0 \\ 0 & \lambda \end{pmatrix} \right] \begin{pmatrix} x \\ y \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \end{pmatrix}.$$

Here:

$$\begin{cases} -6x - 24y = 0 \\ 3x + 12y = 0 \end{cases}$$

② Solve the linear system on your calculator. To do this,  and select Algebra > Solve System of Equations > Solve System of Linear Equations. The calculator should display the following:



y is free, and $x = -4y$

This means that the vectors

$$t \begin{pmatrix} -4 \\ 1 \end{pmatrix}$$

(here we replaced y with t , which is more commonly used for a free variable) are the eigenvectors.

A possible eigenvector is

$$x_1 = \begin{pmatrix} -4 \\ 1 \end{pmatrix}$$

By the same process you can compute the eigenvector x_2 associated to $\lambda_2 = 10$. One possibility is

$$x_2 = \begin{pmatrix} -2 \\ 1 \end{pmatrix}$$

2 Functions